




Pro Services Catalog 2025




HOME DEPOT QUOTE CENTER


Residential Fencing



Landscape Edging



Building Materials



Origin Point Brands, LLC

Manufacturing, Sales & Distribution

Residential Fencing



Light Duty Decorative Fence



Wire Fencing & Posts



Landscape Edging



Building Materials



BRANDS AT **HOME DEPOT**



HEADQUARTERS

Summerville, SC

DISTRIBUTION FACILITIES

Summerville, SC
Kansas City, KS
Houston, TX

CONTACT

800.607.6409


1116 Newton Way
Summerville, SC 29483

customerservice@opbglobal.com



STEEL

Heritage Collection




Panel

Key Features

- **Easy:** Requires no digging or concrete to install
- **Durable:** Welded steel construction with powder-coated finish
- **Ideal:** Great for gardens, walkways, borders and barriers

ITEM #860008
SKU 1013289766



Gate

Key Features

- **Easy:** Easy to install with no digging or concrete required
- **Durable:** Powder-coated steel gate resists rust buildup
- **Ideal:** Ideal for most gardens and accent fencing

ITEM # 860015
SKU 1013289765




Posts

Key Features

- **Easy:** Requires no digging or concrete to install
- **Durable:** Welded steel construction with powder-coated finish
- **Ideal:** Great for gardens, walkways, borders and barriers

ITEM #860022
SKU 1013677355

No Digging - No Concrete - No Dig Fence






ALUMINUM

Newtown Collection 4'

- Aluminum panel features a smooth powder-coated finish, a more durable finish than paint.
- Smooth top, 2-rail Newtown design has 15 pickets.
- Pickets are spaced approximately 3.85 in. (3-13/16 in.) apart.
- Panels come pre-assembled and include installation hardware for convenient and easy installation.
- Racking feature allows panels to adjust to accommodate slopes and inclines.




Panel




4'H x 6'W | ITEM # 863016
SKU # 1001479396

Material: 6063-T3 aluminum
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.59" x 0.59" x 0.05" thick
 Picket Spacing: 3- 13/16"
 AAMA 2604 Polyester Powder Coating

Gates



4'H x 4'W | ITEM # 862019
SKU # 1001361884




4'H x 5'W | ITEM # 862040
SKU # 1001361888

SPECIFICATIONS


Material: 6063-T3 aluminum
 Frame: 0.118" thick
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.059" x 0.059" x 0.05" thick
 Welded frame and picket construction
 AAMA 2604 Polyester Powder Coating



4'H x 4'W | ITEM # 861920
SKU # 1001361875



4'H x 5'W | ITEM # 861951
SKU # 1001361878



4'H x 6'W | ITEM # 861982
SKU # 1001361881



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1" less than the opening to accommodate hinges and latch.

Newtown Collection 4'


Posts



Line Post

2" x 2" x 6'

ITEM # 862408
SKU # 1001493533



Corner Post

2" x 2" x 6'

ITEM # 862439
SKU # 1001493536



End/Gate Post

2" x 2" x 6'

ITEM # 862460
SKU # 1001493539



SPECIFICATIONS

Material: 6063-T3 aluminum


Line Posts: 2" square x 0.062" thick (approx. 14 gauge)

Corner Posts: 2" square x 0.080" thick (approx. 12 gauge)

End/Gate Posts: 2" square x 0.125" thick (approx. 8.5 gauge)

AAMA 2604 Polyester Powder Coating

All posts are pre-punched to accept panel rails





VIEW ONLINE

ALUMINUM

Vinings Collection 4'


- Aluminum panel features a smooth powder-coated finish.
- Smooth top, 3-rail Vinings design has 15 pickets.
- Pickets are spaced approximately 3.85 in. (3-13/16 in.) apart.
- Panels come pre-assembled and include installation hardware for convenient and easy installation.
- Racking feature allows panels to adjust to accommodate slopes and inclines.



LIMITED
IFETIME
WARRANTY

INSTALL ON
INCLINE

Panel




4'H x 6'W | ITEM # 861685
SKU # 1001505598


Material: 6063-T3 aluminum
Rails: 1" x 1" x 0.055" thick
Pickets: 0.59" x 0.59" x 0.05" thick
Picket Spacing: 3- 13/16"
AAMA 2604 Polyester Powder Coating

SPECIFICATIONS


Gates



4'H x 4'W | ITEM # 861722
SKU # 1001361859



4'H x 5'W | ITEM # 861746
SKU # 1001361857



4'H x 6'W | ITEM # 861760
SKU # 1001361860

Material: 6063-T3 aluminum
Frame: 0.118" thick
Rails: 1" x 1" x 0.055" thick
Pickets: 0.059" x 0.059" x 0.05" thick
Welded frame and picket construction
AAMA 2604 Polyester Powder Coating



4'H x 4'W | ITEM # 861821
SKU # 1001361866



4'H x 5'W | ITEM # 861845
SKU # 1001361870

NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1" less than the opening to accommodate hinges and latch.

Vinings Collection 4'

Posts



Line Post

2" x 2" x 6'

ITEM # 862255
SKU # 1001493521



Corner Post

2" x 2" x 6'

ITEM # 862279
SKU # 1001493523



End/Gate Post

2" x 2" x 6'

ITEM # 862293
SKU # 1001513337

SPECIFICATIONS

Material: 6063-T3 aluminum


Line Posts: 2" square x 0.062" thick (approx. 14 gauge)

Corner Posts: 2" square x 0.080" thick (approx. 12 gauge)

End/Gate Posts: 2" square x 0.125" thick (approx. 8.5 gauge)

AAMA 2604 Polyester Powder Coating

All posts are pre-punched to accept panel rails






ALUMINUM

Vinings Collection 4.5'

- Aluminum panel features a smooth powder-coated finish.
- Smooth top, 3-rail Vinings design has 15 pickets.
- Pickets are spaced approximately 3.85 in. (3-13/16 in.) apart.
- Panels come pre-assembled and include installation hardware for convenient and easy installation.
- Racking feature allows panels to adjust to accommodate slopes and inclines.



Panel




4.5'H x 6'W

ITEM # 861883
SKU # 1001493513

Gate

NOTE: Gates are not designed for use with powered gate operators.



4.5'H x 4'W

ITEM # 861890
SKU # 1001542517

Posts



Line Post

2" x 2" x 6.5'

ITEM # 862378

SKU # 1001493531



Corner Post

2" x 2" x 6.5'

ITEM # 862385

SKU # 1001493532



End/Gate Post

2" x 2" x 6.5'

ITEM # 862392

SKU # 1001489125

SPECIFICATIONS

Material: 6063-T3 aluminum
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.59" x 0.59" x 0.05" thick
 Picket Spacing: 3- 13/16"
 AAMA 2604 Polyester Powder Coating



Material: 6063-T3 aluminum
 Frame: 0.118" thick
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.059" x 0.059" x 0.05" thick
 Welded frame and picket construction
 AAMA 2604 Polyester Powder Coating

Material: 6063-T3 aluminum
 Line Posts: 2" square x 0.062" thick
 (approx. 14 gauge)
 Corner Posts: 2" square x 0.080" thick
 (approx. 12 gauge)
 End/Gate Posts: 2" square x 0.125" thick
 (approx. 8.5 gauge)
 AAMA 2604 Polyester Powder Coating
 All posts are pre-punched to accept panel rails




ALUMINUM

Vinings Collection 5'

- Aluminum panel features a smooth powder-coated finish.
- Smooth top, 3-rail Vinings design has 15 pickets.
- Pickets are spaced approximately 3.85 in. (3-13/16 in.) apart.
- Panels come pre-assembled and include installation hardware for convenient and easy installation.
- Racking feature allows panels to adjust to accommodate slopes and inclines.



Panel



5'H x 6'W | ITEM # 861708
SKU # 1001493510

Material: 6063-T3 aluminum
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.59" x 0.59" x 0.05" thick
 Picket Spacing: 3- 13/16"
 AAMA 2604 Polyester Powder Coating

Gate

NOTE: Gates are not designed for use with powered gate operators.



5'H x 4'W | ITEM # 861784
SKU # 1001361862

5'H x 4'W | ITEM # 861869
SKU # 1001361871

5'H x 4'W | ITEM # 861807
SKU # 1001361864



Material: 6063-T3 aluminum
 Frame: 0.118" thick
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.059" x 0.059" x 0.05" thick
 Welded frame and picket construction
 AAMA 2604 Polyester Powder Coating


SPECIFICATIONS

Material: 6063-T3 aluminum
 Line Posts: 2" square x 0.062" thick (approx. 14 gauge)
 Corner Posts: 2" square x 0.080" thick (approx. 12 gauge)
 End/Gate Posts: 2" square x 0.125" thick (approx. 8.5 gauge)
 AAMA 2604 Polyester Powder Coating
 All posts are pre-punched to accept panel rails

Posts



Line Post
 2" x 2" x 7'
 ITEM # 8623316
 SKU # 1001493526



Corner Post
 2" x 2" x 7'
 ITEM # 862330
 SKU # 1001493528



End/Gate Post
 2" x 2" x 7'
 ITEM # 862354
 SKU # 1001513335




ALUMINUM

Osprey Collection 4'

The Osprey aluminum fencing system features a 3-rail design with pressed point pickets at the top. The panels feature a racking design which allows the fence to be installed on inclines, making it a versatile solution. Gates are available with a flat or arched top design. Various posts to fit your needs with a corner post, flange post or line posts for in-ground installation. All fencing items showcase a powder-coating to help prevent rusting, provide longer lasting life and low maintenance.




Panel




4'H x 6'W | ITEM # 881751
SKU # 1009698696

Material: 6063-T3 aluminum
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.59" x 0.59" x 0.05" thick
 Picket Spacing: 3- 13/16"
 AAMA 2604 Polyester Powder Coating


Gates



4'H x 4'W | ITEM # 882239
SKU # 1009366835




4'H x 5'W | ITEM # 882253
SKU # 1009366840



4'H x 6'W | ITEM # 882277
SKU # 1009580999

SPECIFICATIONS


Material: 6063-T3 aluminum
 Frame: 0.118" thick
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.059" x 0.059" x 0.05" thick
 Welded frame and picket construction
 AAMA 2604 Polyester Powder Coating



4'H x 4'W | ITEM # 882338
SKU # 1009366844



4'H x 5'W | ITEM # 882352
SKU # 1009366847



4'H x 8'W | ITEM # 882437
SKU # 1009366851



NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1" less than the opening to accommodate hinges and latch.

Osprey Collection 4'

Posts



Line Post

2" x 2" x 6'

ITEM # 881812
SKU # 1009504911



Corner Post

2" x 2" x 6'

ITEM # 881836
SKU # 1009504913



End/Gate Post

2" x 2" x 6'

ITEM # 881850
SKU # 1009706579

SPECIFICATIONS

Material: 6063-T3 aluminum

Line Posts: 2" square x 0.062" thick (approx. 14 gauge)

Corner Posts: 2" square x 0.080" thick (approx. 12 gauge)

End/Gate Posts: 2" square x 0.125" thick (approx. 8.5 gauge)

AAMA 2604 Polyester Powder Coating

All posts are pre-punched to accept panel rails






ALUMINUM

Osprey Collection 5'

The Osprey aluminum fencing system features a 3-rail design with pressed point pickets at the top. The panels feature a racking design which allows the fence to be installed on inclines, making it a versatile solution. Gates are available with a flat or arched top design. Various posts to fit your needs with a corner post, flange post or line posts for in-ground installation. All fencing items showcase a powder-coating to help prevent rusting, provide longer lasting life and low maintenance.



Panel






5'H x 6'W | ITEM # 881775
SKU # 1009698698

Material: 6063-T3 aluminum
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.59" x 0.59" x 0.05" thick
 Picket Spacing: 3- 13/16"
 AAMA 2604 Polyester Powder Coating

Gates

NOTE: Gates are not designed for use with powered gate operators.



5'H x 4'W | ITEM # 882291
SKU # 1009366856

5'H x 5'W | ITEM # 882314
SKU # 1009581001

5'H x 4'W | ITEM # 882376
SKU # 1009366860




Material: 6063-T3 aluminum
 Frame: 0.118" thick
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.059" x 0.059" x 0.05" thick
 Welded frame and picket construction
 AAMA 2604 Polyester Powder Coating

Posts



Line Post
 2" x 2" x 84"
 ITEM # 881874
 SKU # 1009706578



Corner Post
 2" x 2" x 84"
 ITEM # 881898
 SKU # 1009706580



End/Gate Post
 2" x 2" x 84"
 ITEM # 8811911
 SKU # 1009989498

SPECIFICATIONS

Material: 6063-T3 aluminum
 Line Posts: 2" square x 0.062" thick (approx. 14 gauge)
 Corner Posts: 2" square x 0.080" thick (approx. 12 gauge)
 End/Gate Posts: 2" square x 0.125" thick (approx. 8.5 gauge)
 AAMA 2604 Polyester Powder Coating
 All posts are pre-punched to accept panel rails




ALUMINUM

Osprey Collection 6'

The Osprey aluminum fencing system features a 3-rail design with pressed point pickets at the top. The panels feature a racking design which allows the fence to be installed on inclines, making it a versatile solution. Gates are available with a flat or arched top design. Various posts to fit your needs with a corner post, flange post or line posts for in-ground installation. All fencing items showcase a powder-coating to help prevent rusting, provide longer lasting life and low maintenance.



Panel




6'H x 6'W | ITEM # 881799
SKU # 1009698699


Material: 6063-T3 aluminum
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.59" x 0.59" x 0.05" thick
 Picket Spacing: 3- 13/16"
 AAMA 2604 Polyester Powder Coating

Gates

NOTE: Gates are not designed for use with powered gate operators.



6'H x 4'W | ITEM # 882390
SKU # 1009581003



6'H x 5'W | ITEM # 882413
SKU # 1009706584



Material: 6063-T3 aluminum
 Frame: 0.118" thick
 Rails: 1" x 1" x 0.055" thick
 Pickets: 0.059" x 0.059" x 0.05" thick
 Welded frame and picket construction
 AAMA 2604 Polyester Powder Coating

Posts



Line Post
 2" x 2" x 96"
 ITEM # 881935
 SKU # 1009396139



Corner Post
 2" x 2" x 96"
 ITEM # 881959
 SKU # 1009366866



End/Gate Post
 2" x 2" x 96"
 ITEM # 881973
 SKU # 1009989500

SPECIFICATIONS

Material: 6063-T3 aluminum
 Line Posts: 2" square x 0.062" thick (approx. 14 gauge)
 Corner Posts: 2" square x 0.080" thick (approx. 12 gauge)
 End/Gate Posts: 2" square x 0.125" thick (approx. 8.5 gauge)
 AAMA 2604 Polyester Powder Coating
 All posts are pre-punched to accept panel rails

FORGE RIGHT




STEEL

Deco Collection 4'

- Steel panel features a smooth powder-coated finish, a finish more durable than paint, to help prevent chipping and rust.
- Deco grid design provides an attractive alternative to chain link fencing.
- Panels come pre-assembled and include installation hardware for convenient and easy installation.

STEPPED INSTALL


Deco Grid fence is designed for use on flat ground. To deal with slight grade or incline, a stepped installation is recommended. This is achieved by setting posts at a higher finished height. More than +5 inches is not recommended.



10 YEAR LIMITED WARRANTY




Panel



4'H x 6'W | ITEM # 862217
SKU # 1002066599

Gate




GATES INCLUDE ALL HARDWARE
HINGES & GRAVITY LATCH

NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1" less than the opening to accommodate hinges and latch.


4'H x 4'W | ITEM # 862224
SKU # 1002066602

Posts

2" x 2" x 50"
ITEM # 862996
SKU # 1002066605



2" x 2" x 74"
ITEM # 863009
SKU # 1002066608



SPECIFICATIONS

Material: Galvanized Q195 Steel
Horizontal/Vertical Grid: 4.0mm Steel Rod (approx. 9 gauge)
Grid Spacing: 2" x 2" top and bottom grid spacing, 2" x 4" middle grid spacing
Available Colors: Black
Finish: Black Powder Coating

Material: Galvanized Q195 Steel
Frame: 1.57" square x 0.059" thick
Grid Spacing: 2" x 2" top and bottom grid spacing, 2" x 4" middle grid spacing
Welded frame and grid construction
Available Colors: Black
Finish: Black Powder Coating

Material: Galvanized Q195 Steel
Universal Posts: 0.059" wall thickness
Available Colors: Black
Finish: Black Powder Coating
All posts are pre-punched to accept Euro Clip Kits
Post Spacing: 72" center to center, 70" post edge to post edge

FORGE RIGHT



VIEW ONLINE


STEEL

Deco Collection 5'

- Steel panel features a smooth powder-coated finish, a finish more durable than paint, to help prevent chipping and rust.
- Deco grid design provides an attractive alternative to chain link fencing.
- Panels come pre-assembled and include installation hardware for convenient and easy installation.

STEPPED INSTALL


Deco Grid fence is designed for use on flat ground. To deal with slight grade or incline, a stepped installation is recommended. This is achieved by setting posts at a higher finished height. More than +5 inches is not recommended.



10 YEAR LIMITED WARRANTY




Panel



5'H x 6'W | ITEM # 868004
SKU # 1009698702

Gate




NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1" less than the opening to accommodate hinges and latch.


5'H x 4'W | ITEM # 868011
SKU # 1009504898

Posts

2" x 2" x 86"
ITEM # 868028
SKU # 1009396141



2" x 2" x 62"
ITEM # 868059
SKU # 1009366870



SPECIFICATIONS

Material: Galvanized Q195 Steel
Horizontal/Vertical Grid: 4.0mm Steel Rod (approx. 9 gauge)
Grid Spacing: 2" x 2" top and bottom grid spacing, 2" x 4" middle grid spacing
Available Colors: Black
Finish: Black Powder Coating

Material: Galvanized Q195 Steel
Frame: 1.57" square x 0.059" thick
Grid Spacing: 2" x 2" top and bottom grid spacing, 2" x 4" middle grid spacing
Welded frame and grid construction
Available Colors: Black
Finish: Black Powder Coating

Material: Galvanized Q195 Steel
Universal Posts: 0.059" wall thickness
Available Colors: Black
Finish: Black Powder Coating
All posts are pre-punched to accept Euro Clip Kits
Post Spacing: 72" center to center, 70" post edge to post edge

FORGE RIGHT




STEEL

Deco Collection 6'

- Steel panel features a smooth powder-coated finish, a finish more durable than paint, to help prevent chipping and rust.
- Deco grid design provides an attractive alternative to chain link fencing.
- Panels come pre-assembled and include installation hardware for convenient and easy installation.

STEPPED INSTALL


Deco Grid fence is designed for use on flat ground. To deal with slight grade or incline, a stepped installation is recommended. This is achieved by setting posts at a higher finished height. More than +5 inches is not recommended.



10 YEAR LIMITED WARRANTY




Panel



6'H x 6'W | ITEM # 868042
SKU # 1009698705

Material: Galvanized Q195 Steel
Horizontal/Vertical Grid: 4.0mm Steel Rod (approx. 9 gauge)
Grid Spacing: 2" x 2" top and bottom grid spacing, 2" x 4" middle grid spacing
Available Colors: Black
Finish: Black Powder Coating

Gate



GATES INCLUDE ALL HARDWARE
HINGES & GRAVITY LATCH

NOTE: Gates are not designed for use with powered gate operators. Please consult your local building codes before choosing and installing your fence. Gates are a nominal 1" less than the opening to accommodate hinges and latch.


4'H x 6'W | ITEM # 868035
SKU # 1009698708

Material: Galvanized Q195 Steel
Frame: 1.57" square x 0.059" thick
Grid Spacing: 2" x 2" top and bottom grid spacing, 2" x 4" middle grid spacing
Welded frame and grid construction
Available Colors: Black
Finish: Black Powder Coating


SPECIFICATIONS

Posts

2" x 2" x 74"
ITEM # 868073
SKU # 1009706583



2" x 2" x 98"
ITEM # 868066
SKU # 1009706581



Material: Galvanized Q195 Steel
Universal Posts: 0.059" wall thickness
Available Colors: Black
Finish: Black Powder Coating
All posts are pre-punched to accept Euro Clip Kits
Post Spacing: 72" center to center, 70" post edge to post edge



Yard Enclosure



Pet Containment



Farm Use



Welded Wire Utility Fence



2-in x 4-in Mesh
 12.5 Gauge
 14 Gauge

VIEW ONLINE

GALVANIZED WELDED WIRE

| MODEL # | HEIGHT | LENGTH | MESH SIZE | GAUGE |
|---------|--------|--------|-------------|-------|
| 204850 | 48-in | 50-ft | 2-in x 4-in | 12.5 |
| 204800 | 48-in | 100-ft | 2-in x 4-in | 12.5 |
| 206000 | 60-in | 100-ft | 2-in x 4-in | 12.5 |
| 207200 | 72-in | 100-ft | 2-in x 4-in | 12.5 |
| 213650 | 36-in | 50-ft | 2-in x 4-in | 14 |
| 214850 | 48-in | 50-ft | 2-in x 4-in | 14 |
| 216050 | 60-in | 50-ft | 2-in x 4-in | 14 |
| 217250 | 72-in | 50-ft | 2-in x 4-in | 14 |
| 214800 | 48-in | 100-ft | 2-in x 4-in | 14 |
| 217200 | 72-in | 100-ft | 2-in x 4-in | 14 |

BLACK VINYL COATED GARDEN FENCE

| | | | | |
|--------|-------|--------|-------------|----|
| 704800 | 48-in | 100-ft | 2-in x 4-in | 14 |
|--------|-------|--------|-------------|----|



Metal Edging



1 YEAR
LIMITED
WARRANTY



8' Steel Edging with 4 Stakes



8'L | 4"H



BLACK
ITEM # 867359
MSTR CRT QTY: 150
SKU 1008503132



BROWN
ITEM # 867267
MSTR CRT QTY: 150
SKU 1007584077



GREEN
ITEM # 867212
MSTR CRT QTY: 150
SKU 1007584080

4' Steel Edging with 4 Stakes



4'L | 4"H



BLACK
ITEM # 867342
MSTR CRT QTY: 10
SKU 1008503084



BROWN
ITEM # 867243
MSTR CRT QTY: 10
SKU 1007584129



GREEN
ITEM # 867304
MSTR CRT QTY: 10
SKU 1007587063



PROWORX™ Concrete Accessories




OSHA Rebar Cap
Model 832036
Pro Pack 832036-10




Rebar Cap
Model 832029
Pro Pack 832029-10



Wall Ties - 100 Pack
Model 831992
Pro Pack 831992-6



2 Bar Chair
Model 832050
Pro Pack 832050-100



3 Bar Chair
Model 831985
Pro Pack 831985-50



Plastic Chair
Model 832012
Pro Pack 832012-50



Rebar Ties
Pro Pack 832074-25
Pro Pack 832081-6



Annealed Tie Wire
Model 832005
Pro Pack 832005-12




All Items Available
in Pro Packs



3/4-36 Round Steel Stake 831961-10
3/4-18 Round Steel Stake 831954-20
3/4-24 Round Steel Stake 831947-20

BRANDS AT HOME DEPOT



HEADQUARTERS
Summerville, SC

DISTRIBUTION FACILITIES
Summerville, SC
Kansas City, KS
Houston, TX

CONTACT
800.607.6409

1116 Newton Way
Summerville, SC 29483

customerservice@opbglobal.com